



Drafted by	Zeba Bilal/ Sumudu Cooray
Approved on	Jan 2023
Review cycle	1 year
Policy Number	QA 2
Version	2

Diabetes Policy

Purpose

To ensure that enrolled children with type 1 diabetes and their families are supported, while children are being educated and cared for by Ewing Kindergarten.

This Diabetes Policy should be read in conjunction with the Dealing with Medical Conditions Policy of Ewing Kindergarten.

Policy Statement

Values

Ewing Kindergarten believes in ensuring the safety and wellbeing of children who are diagnosed with diabetes, and is committed to:

- providing a safe and healthy environment in which children can participate fully in all aspects of the program
- actively involving the parents/guardians of each child diagnosed with diabetes in assessing risks, and developing risk minimisation and risk management strategies for their child
- ensuring that all staff members and other adults at the service have adequate knowledge of diabetes and procedures to be followed in the event of a diabetes-related emergency
- facilitating communication to ensure the safety and wellbeing of children diagnosed with diabetes.

Scope

This policy applies to the Approved Provider, Nominated Supervisor, Certified Supervisor, educators, staff, students on placement, volunteers, parents/guardians, children and others attending the programs and activities of Ewing Kindergarten.

Background and Legislative Requirements and Guiding Documents

Background

Services that are subject to the National Quality Framework must have a policy for managing medical conditions in accordance with the Education and Care Services National Law Act 2010 and the Education and Care Services National Regulations 2011. This policy must define practices in relation to:

- the management of medical conditions
- procedures requiring parents/guardians to provide a medical management plan if an enrolled child has a relevant medical condition (including diabetes)
- development of a risk minimisation plan in consultation with a child's parents/guardians
- development of a communication plan for staff members and parents/guardians.

Staff members and volunteers must be informed about the practices to be followed in the management of specific medical conditions at the service. Parents/guardians of an enrolled child with a specific health care need, allergy or other relevant medical condition must be provided with a copy of the Dealing with Medical Conditions Policy (in addition to any other relevant kindergarten policies).

Services must ensure that each child with diabetes has a current diabetes action and management plan prepared specifically for that child by their diabetes medical specialist team, at or prior to enrolment, and must implement strategies to assist children with type 1 diabetes. A child's diabetes action and management plan provides staff members with all required information about that child's diabetes care needs while attending the kindergarten.

The following lists key points to assist kindergarten staff to support children with type 1 diabetes:

- Follow the kindergarten's Dealing with Medical Conditions Policy (and this Diabetes Policy) and procedures for medical emergencies involving children with type 1 diabetes.
- Parents/guardians should notify the service immediately about any changes to the child's individual diabetes action and management plan.
- The child's diabetes medical specialist team may include an endocrinologist, diabetes nurse educator and other allied health professionals. This team will provide parents/guardians with a diabetes action and management plan to supply to the service. Examples can be found here:
https://www.diabetesvic.org.au/how-we-help-detail?tags=Left-Mega-Nav%2FSchools&content_id=a1R0o00000JvVv8EAF&ocmsLang=ar
- Contact Diabetes Australia – Vic for further support, information and professional development sessions.

Most children with type 1 diabetes can enjoy and participate in service programs and activities to their full potential, but are likely to require additional support from kindergarten staff to manage their diabetes. While attendance at the kindergarten should not be an issue for children with type 1 diabetes, they may require time away to attend medical appointments.

Legislative Requirements

Relevant legislation and standards include but are not limited to:

- Education and Care Services National Law Act 2010: Sections 167, 169
- Education and Care Services National Regulations 2011: Regulations 90–96, 102, 136, 137, 146, 147, 160–162, 168(2)(d), 173, 177, 181, 183, 184, 246
- Health Records Act 2001 (Vic)
- National Quality Standard, Quality Area 2: Children's Health and Safety
 - Standard 2.1: Each child's health is promoted

- Element 2.1.1: Each child’s health needs are supported
- Element 2.1.4: Steps are taken to control the spread of infectious diseases and to manage injuries and illness, in accordance with recognised guidelines
- Standard 2.3: Each child is protected
 - Element 2.3.3: Plans to effectively manage incidents and emergencies are developed in consultation with relevant authorities, practised and implemented
- Occupational Health and Safety Act 2004 (Vic)
- Privacy and Data Protection Act 2014 (Vic)
- Privacy Act 1988 (Cth)
- Public Health and Wellbeing Act 2008
- Public Health and Wellbeing Regulations 2009 (Vic)

The most current amendments to listed legislation can be found at:

- Victorian Legislation – Victorian Law Today: www.legislation.vic.gov.au
- Commonwealth Legislation – Federal Register of Legislation: www.legislation.gov.au

Strategies for Policy Implementation/ Procedures

The Approved Provider is responsible for:

- ensuring that a diabetes policy is developed and implemented at the kindergarten
- ensuring that the Nominated Supervisor, educators, staff, students and volunteers at the service are provided with a copy of the Diabetes Policy, including the section on management strategies (refer to Attachment 1 – Strategies for the management of diabetes in children at the kindergarten), and the Dealing with Medical Conditions Policy
- ensuring that the programs delivered at the kindergarten are inclusive of children diagnosed with diabetes (refer to Inclusion and Equity Policy), and that children with diabetes can participate in all activities safely and to their full potential
- ensuring that the parents/guardians of an enrolled child who is diagnosed with diabetes are provided with a copy of the Diabetes Policy (including procedures) and the Dealing with Medical Conditions Policy (Regulation 91)
- ensuring that the Nominated Supervisor, staff and volunteers at the kindergarten are aware of the strategies to be implemented for the management of diabetes at the kindergarten (refer to Attachment 1 – Strategies for the management of diabetes in children at the kindergarten)

- ensuring that staff have access to appropriate training and professional development opportunities and are adequately resourced to work with children with Type 1 Diabetes and their families
- ensuring that each enrolled child who is diagnosed with diabetes has a current diabetes action and management plan prepared specifically for that child by their diabetes medical specialist team, at or prior to enrolment and signed off by all relevant parties
- ensuring that the Nominated Supervisor, educators, staff, students, volunteers and others at the service follow the child's diabetes action and management plan in the event of an incident at the service relating to their diabetes
- ensuring that a risk minimisation plan is developed for each enrolled child diagnosed with diabetes in consultation with the child's parents/guardians, in accordance with Regulation 90(iii)
- ensuring that a communication plan is developed for staff and parents/guardians in accordance with Regulation 90(iv), and encouraging ongoing communication between parents/guardians and staff regarding the management of the child's medical condition
- ensuring that children diagnosed with diabetes are not discriminated against in any way and are able to participate fully in all programs and activities at the kindergarten
- following appropriate reporting procedures set out in the Incident, Injury, Trauma and Illness Policy in the event that a child is ill, or is involved in a medical emergency or an incident at the kindergarten that results in injury or trauma.

The Nominated Supervisor is responsible for:

- ensuring that the Diabetes Policy is implemented at the kindergarten
- compiling a list of children with diabetes and placing it in a secure but readily accessible location known to all staff. This should include the diabetes action and management plan for each child
- following the strategies developed for the management of diabetes at the kindergarten (refer to Attachment 1 – Strategies for the management of diabetes in children at the kindergarten)
- organising appropriate training and professional development for educators and staff to enable them to work effectively with children with Type 1 Diabetes and their families
- ensuring that all staff, including casual and relief staff, are aware of children diagnosed with diabetes, symptoms of low blood sugar levels, and the location of medication and diabetes action and management plans
- following the child's diabetes action and management plan in the event of an incident at the kindergarten relating to their diabetes
- following the risk minimisation plan for each enrolled child diagnosed with diabetes
- ensuring that programmed activities and experiences take into consideration the individual needs of all children, including children diagnosed with diabetes
- communicating daily with parents/guardians regarding the management of their child's diabetes
- ensuring that children diagnosed with diabetes are not discriminated against in any way and are able to participate fully in all programs and activities at the kindergarten.

Certified Supervisors and other educators are responsible for:

- reading and complying with this Diabetes Policy and the Dealing with Medical Conditions Policy
- following the strategies developed for the management of diabetes at the kindergarten (refer to Attachment 1 – Strategies for the management of diabetes in children at the kindergarten)

- working with individual parents/guardians to determine the most appropriate support for their child
- following the risk minimisation plan for each enrolled child diagnosed with diabetes
- knowing which children are diagnosed with diabetes, and the location of their medication and diabetes action and management plans
- following the child's diabetes action and management plan in the event of an incident at the service relating to their diabetes
- communicating daily with parents/guardians regarding the management of their child's medical condition
- ensuring that children diagnosed with diabetes are not discriminated against in any way and are able to participate fully in all programs and activities at the kindergarten.

All parents/Guardians are responsible for:

- reading and complying with this Diabetes Policy, diabetes management strategies (refer to Attachment 1 – Strategies for the management of diabetes in children at the kindergarten), and the Dealing with Medical Conditions Policy.

Parents/guardians of children diagnosed with type 1 diabetes are responsible for:

- providing the kindergarten with a current diabetes action and management plan prepared specifically for their child by their diabetes medical specialist team and signed off by all relevant parties
- working with the Approved Provider to develop a risk minimisation plan for their child
- working with the Approved Provider to develop a communication plan
- working with educators and staff to assist them to provide the most appropriate support for their child
- ensuring that they provide the service with any equipment, medication or treatment, as specified in the child's individual diabetes action and management plan.

Volunteers and students, while at the kindergarten, are responsible for

following this policy and its procedures.

Related Policies and Procedures

- Administration of First Aid Policy
- Administration of Medication Policy
- Dealing with Medical Conditions Policy
- Enrolment and Orientation Policy
- Excursions and Service Events Policy
- Food Safety Policy
- Hygiene Policy
- Incident, Injury, Trauma and Illness Policy
- Inclusion and Equity Policy
- Nutrition and Active Play Policy

- Occupational Health and Safety Policy
- Privacy and Confidentiality Policy
- Supervision of Children Policy

References and Further Sources

- Caring for Diabetes in Children and Adolescents, Royal Children's Hospital Melbourne: <http://www.rch.org.au/diabetesmanual/>
- Diabetes Australia – Vic: <https://www.diabetesvic.org.au/Home>
- Information about professional learning for teachers (i.e. *Diabetes in Schools* one day seminars for teachers and early childhood staff), sample management plans and online resources.

Evaluation

In order to assess whether the values and purposes of the policy have been achieved, the approved provider will:

- selectively audit enrolment checklists (for example, annually) to ensure that documentation is current and complete
- regularly seek feedback from everyone affected by the policy regarding its effectiveness
- monitor the implementation, compliance, complaints and incidents in relation to this policy
- keep the policy up to date with current legislation, research, policy and best practice
- revise the policy and procedures as part of the service's policy review cycle, or following a hypo emergency at the service, to identify any changes required
- notify parents/guardians at least 14 days before making any changes to this policy or its procedures.

Definitions

Approved Provider: Committee of Management

Nominated Supervisor: Director of Kindergarten or in their absence Kindergarten Teachers

Certified Supervisor: this refers to educators who are deemed by the Director as eligible as a result of experience, qualification or longevity at Ewing Kindergarten

Type 1 diabetes: An autoimmune condition that occurs when the immune system damages the insulin producing cells in the pancreas. Type 1 diabetes is treated with insulin replacement via injections or a continuous infusion of insulin via a pump. Without insulin treatment, type 1 diabetes is life threatening.

Type 2 diabetes: Occurs when either insulin is not working effectively (insulin resistance) or the pancreas does not produce sufficient insulin (or a combination of both). Type 2 diabetes accounts for 85 to 90 per cent of all cases of diabetes and usually develops in adults over the age of 45 years, but is increasingly occurring in individuals at a younger age. Type 2 diabetes is unlikely to be seen in children under the age of 4 years.

Hypoglycaemia or hypo (low blood glucose): Hypoglycaemia refers to having a blood glucose level that is lower than normal i.e. below 4 mmol/L, even if there are no symptoms. Neurological symptoms can occur at blood glucose levels below 4 mmol/L and can include sweating, tremors, headache, pallor, poor

co-ordination and mood changes. Hypoglycaemia can also impair concentration, behaviour and attention, and symptoms can include a vague manner and slurred speech.

Hypoglycaemia is often referred to as a 'hypo'. Common causes include but are not limited to:

- taking too much insulin
- delaying a meal
- consuming an insufficient quantity of carbohydrate
- undertaking unplanned or unusual exercise.

It is important to treat hypoglycaemia promptly and appropriately to prevent the blood glucose level from falling even lower, as very low levels can lead to loss of consciousness and possibly convulsions.

The child's diabetes action and management plan will provide specific guidance for services in preventing and treating a hypo.

Hyperglycaemia (high blood glucose): Hyperglycaemia occurs when the blood glucose level rises above 15 mmol/L. Hyperglycaemia symptoms can include increased thirst, tiredness, irritability and urinating more frequently. High blood glucose levels can also affect thinking, concentration, memory, problem-solving and reasoning. Common causes include but are not limited to:

- taking insufficient insulin
- consuming too much carbohydrate
- common illnesses such as a cold
- stress.

Insulin: Medication prescribed and administered by injection or continuously by a pump device to lower the blood glucose level. In the body, insulin allows glucose from food (carbohydrates) to be used as energy, and is essential for life.

Blood glucose meter: A compact device used to check a small blood drop sample to determine the blood glucose level.

Insulin pump: A small, computerised device to deliver insulin constantly, connected to an individual via an infusion line inserted under the skin.

Ketones: Occur when there is insufficient insulin in the body. High levels of ketones can make children very sick. Extra insulin is required (given to children by parents/guardians) when ketone levels are >0.6 mmol/L if insulin is delivered via a pump, or >1.0 mmol/L if on injected insulin.

ATTACHMENTS

- Attachment 1: Strategies for the management of diabetes in children at the kindergarten
- Attachment 2: Action plan

ATTACHMENT 1

Strategies for the management of diabetes in children at the kindergarten

Strategy	Action
Monitoring of blood glucose (BG) levels	<ul style="list-style-type: none"> • Checking of blood glucose (BG) levels is performed using a blood glucose meter (refer to <i>Definitions</i>) and a finger pricking device. The child's diabetes action and management plan should state the times that BG levels should be checked, the method of relaying information to parents/guardians about BG levels and any intervention required if the BG level is found to be below or above certain thresholds. A communication book can be used to provide information about the child's BG levels between parents/guardians and the service at the end of each session. • Checking of BG occurs at least four times every day to evaluate the insulin dose. Some of these checks may need to be done while a child is at the service – at least once, but often twice. Routine times for checking include before meals, before bed and regularly overnight. • Additional checking times will be specified in the child's diabetes action and management plan. These could include such times as when a 'hypo' is suspected. • Children are likely to need assistance with performing BG checks. • Parents/guardians should be asked to teach service staff about BG checking procedures. • Parents/guardians are responsible for supplying a blood glucose meter, in-date test strips and a finger pricking device or Continuous Glucose Monitor (CGM) for use by their child while at the service.
Managing hypoglycaemia (hypos)	<ul style="list-style-type: none"> • Hypos or suspected hypos should be recognised and treated promptly, according to the instructions provided in the child's diabetes action and management plan. • Parents/guardians are responsible for providing the service with oral hypoglycaemia treatment (hypo-food/ hypo-kit) for their child in an appropriately labelled container. • This hypo container must be securely stored and readily accessible to all staff.
Administering insulin	<ul style="list-style-type: none"> • Administration of insulin during service hours may be required; this will be specified in the child's diabetes action and management plan. • As a guide, insulin for service-aged children is commonly administered: <ul style="list-style-type: none"> – twice a day: before breakfast and dinner at home – by a small insulin pump worn by the child – If insulin is required, please seek specific advice from the child's diabetes treatment team.
Managing ketones	<ul style="list-style-type: none"> • Ketone checking may be required when their blood glucose level is >15.0 mmol/L. • Refer to the child's diabetes action and management plan.

Off-site excursions and activities	<ul style="list-style-type: none"> • With good planning, children should be able to participate fully in all service activities, including attending excursions. • The child’s diabetes action and management plan should be reviewed prior to an excursion, with additional advice provided by the child’s diabetes medical specialist team and/or parents/guardians, as required.
Infection control	<ul style="list-style-type: none"> • Infection control procedures must be developed and followed. Infection control measures include being informed about ways to prevent infection and cross-infection when checking BG levels, handwashing, having one device per child and not sharing devices between individuals, using disposable lancets and safely disposing of all medical waste.
Timing meals	<ul style="list-style-type: none"> • Most meal requirements will fit into regular service routines. • Children with diabetes require extra supervision at meal and snack times to ensure that they eat all their carbohydrates. If an activity is running overtime, children with diabetes <u>cannot have delayed meal times. Missed or delayed carbohydrate is likely to induce hypoglycaemia (hypo).</u>
Physical activity	<ul style="list-style-type: none"> • Exercise in excess of the normal day to day activities of play should be preceded by a serve of carbohydrates. • Exercise is not recommended for children whose BG levels are high, as it may cause BG levels to become more elevated. • Refer to the child’s diabetes action and management plan for specific requirements in relation to physical activity.
Participation in special events	<ul style="list-style-type: none"> • Special events, such as class parties, can include children with type 1 diabetes in consultation with their parents/guardians. • Services should provide food and drink alternatives when catering for special events, such as low sugar or sugar-free drinks and/or sweets. This should be planned in consultation with parents/guardians.
Communicating with parents	<ul style="list-style-type: none"> • Services should communicate directly and regularly with parents/guardians to ensure that their child’s individual diabetes action and management plan is current. • Services should establish a mutually agreeable home-to-service means of communication to relay health information and any health changes or concerns. • Setting up a communication book is recommended and, where appropriate, make use of emails and/or text messaging.


ATTACHMENT 2

Action Plan

TYPE 1 DIABETES ACTION PLAN 2023 EARLY CHILDHOOD SETTING **Multiple daily injections**

Use in conjunction with Diabetes Management Plan. This plan should be reviewed every year.

AP MD ECEC VIC © Diabetes Victoria, RCH, MCH 2023 V1.1



CHILD'S NAME _____

DATE OF BIRTH _____ AGE _____

NAME OF CENTRE _____

INSULIN is given 4 or more times per day. See Management Plan.

THIS CHILD IS WEARING

- Continuous Glucose Monitoring (CGM)
- Flash Glucose Monitoring (FGM)

BLOOD GLUCOSE LEVEL (BGL) CHECKING TIMES
BGL checks should occur where the child is at the time it is required. See Management Plan

PARENT / CARER NAME _____

CONTACT NO. _____

DIABETES TREATING TEAM _____

HOSPITAL UR NO. _____

CONTACT NO. _____

DATE PLAN CREATED _____

Page 1 of 9

LOW Hypoglycaemia (Hypo)

Blood Glucose Level (BGL) less than **4.0 mmol/L**

SIGNS AND SYMPTOMS Pale, headache, shaky, sweaty, dizzy, drowsy, changes in behaviour
Note: Check BGL if hypo suspected
 Symptoms may not always be obvious

DO NOT LEAVE CHILD ALONE
DO NOT DELAY TREATMENT

MILD

Child conscious
 (Able to eat hypo food)

Step 1: Give fast acting carbohydrate
 e.g. _____

Step 2: Recheck BGL in 15 mins

- If BGL less than 4.0, repeat **Step 1**
- If BGL greater than or equal to 4.0, go to **Step 3**

Step 3: Give slow acting carbohydrate
 e.g. _____

Step 3a:
 If insulin is due & BGL greater than or equal to 4.0, give usual insulin dose & then eat meal immediately.

Step 4: Resume usual activity
 when BGL 4.0 or higher

SEVERE

Child drowsy / unconscious
 (Risk of choking / unable to swallow)

First Aid DRSABCD
 Stay with child

CALL AN AMBULANCE
DIAL 000

Contact parent/carer when safe to do so

HIGH Hyperglycaemia (Hyper)

Blood Glucose Level (BGL) greater than or equal to **15.0 mmol/L** is well above target and requires additional action

SIGNS AND SYMPTOMS Increased thirst, extra toilet visits, poor concentration, irritability, tiredness
Note: Symptoms may not always be obvious

Child well

- Encourage 1–2 glasses water per hour
- Return to usual activity
- Extra toilet visits may be required
- Re-check BGL in 2 hours

In 2 hours, if BGL still greater than or equal to 15.0,
CALL PARENT/CARER FOR ADVICE

Child unwell

(e.g. vomiting)

- Contact parent/carer to collect child ASAP
- Check ketones (if able)

KETONES
 If unable to contact parent/carer and blood ketones greater than or equal to 1.0 mmol/L or dark purple on urine strip
CALL AN AMBULANCE DIAL 000

